

FortiGate® 2000E

Next Generation Firewall Internal Segmentation Firewall Data Center Firewall and IPS



The FortiGate 2000E delivers high performance threat protection for mid-sized to large enterprises and service providers, with the flexibility to be deployed at the Internet or cloud edge, in the data center core or internal segments. The multiple high-speed interfaces, high port density, industry-leading security efficacy and high throughput of the 2000E keeps your network connected and secure.

Security

- Protects against known exploits, malware and malicious websites using continuous threat intelligence provided by FortiGuard Labs security services
- Protects against unknown attacks using dynamic analysis and provides automated mitigation to stop targeted attacks

Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin and AV Comparatives

Networking

- Delivers an extensive routing, switching, wireless controller and high performance IPsec VPN capabilities to consolidate networking and security functionality
- Enables flexible deployment modes that fit into organizations' evolving network infrastructure requirements with high port density and high-speed interfaces

Management

- Single Pane of Glass with Network Operations Center (NOC) view provides 360° visibility to identify issues quickly and intuitively
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

 Enables Fortinet and Fabric-ready partners' products to collaboratively integrate and provide end-to-end security across the entire attack surface



Firewall	IPS	NGFW	Threat Protection	Interfaces	
90 Gbps	11.5 Gbps	9 Gbps	5.4 Gbps	Multiple GE RJ45 and 10 GE SFP+ slots	

Refer to specification table for details

DEPLOYMENT



Next Generation Firewall (NGFW)

- Security gateway to the Internet for enterprises
- Enforce security policies with granular control and visibility of users and devices for thousands of discrete applications
- Identify and stop threats with powerful intrusion prevention beyond port and protocol that examines the actual content of your network traffic




Internal Segmentation Firewall (ISFW)

- Segmentation solution for end-to-end protection against threats while meeting compliance requirements
- High port density and accelerated traffic processing capacity, to protect multiple segments without compromising performance
- Deploy transparently and rapidly into existing environments with minimal disruption




Data Center Firewall and IPS (DCFW-IPS)

- High availability, high throughput and low latency firewall for data center edge and core
- High session scale for accommodating large network and user traffic for Internet and cloud-facing data centers
- High-speed interfaces for future-proof connectivity while compact size contributes to greener data centers
- Performance optimized IPS engine to detect and deter latest known and zero day threats



FortiGate 2000E deployment in large campus networks (NGFW, ISFW)





FortiGate 2000E deployment in data center (DCFW-IPS/NGFW, ISFW)

2 www.fortinet.com

HARDWARE

FortiGate 2000E







Interfaces

- 1. Console Port
- 2. USB Port
- 3. 2x GE RJ45 Management Ports

- 4. 32x GE RJ45 Ports
- 5. 6x 10 GE SFP+ Slots

NP Direct

By removing the Internal Switch Fabric, the NP Direct architecture provides direct access to the SPU-NP for the lowest latency forwarding. NGFW deployments require some attention to network design to ensure optimal use of this technology.

Powered by SPU

 Custom SPU processors deliver the power you need to detect malicious content at multi-Gigabit speeds



- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 2 microseconds
- VPN. CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

Fortinet's new, breakthrough SPU CP9 content processor works outside of the direct flow of traffic and accelerates the inspection of computationally intensive security features:

- Enhanced IPS performance with unique capability of full signature matching at ASIC
- SSL Inspection capabilities based on the latest industry mandated cipher suites
- Encryption and decryption offloading

10 GE Connectivity

High speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 2000E provides high 10 GE port densities, simplifying network designs without relying on additional devices to bridge desired connectivity.

FORTINET SECURITY FABRIC

Security Fabric


The Security Fabric allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.

FortiSandbox FortiSandbox

FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated next-generation security platform.



- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100,
 AV Comparatives, and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated advanced threat protection.
- Fulfill your networking needs with extensive routing, switching, and SD-WAN capabilities.
- Ultilize SPU hardware acceleration to boost security capability performance.



For more information, please refer to the FortiOS data sheet available at www.fortinet.com

SERVICES



FortiGuard[™] Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare

www.fortinet.com

SPECIFICATIONS

Hardware Specifications Hardware Accelerated 10 GE SFP+ Slots 6 Hardware Accelerated GE RJ45 Ports 32 GE RJ45 Management / HA Ports 2 USB Ports 1 Console Port 1 Onboard Storage 480 GB Included Transceivers 2x SFP+ (SR 10GE) System Performance IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP) Pv5 Firewall Throughput (1518 / 512 / 86 byte, UDP) 90 / 90 / 60 Gbps Firewall Throughput (Packet per Second) 90 Mpps Concurrent Sessions (TCP) 20 Million New Sessions/Second (TCP) 500,000 Firewall Policies 100,000 IPsec VPN Throughput (512 byte) 1 65 Gbps Gateway-to-Gateway IPsec VPN Tunnels 20,000 Client-to-Gateway IPsec VPN Tunnels 100,000 SSL-VPN Throughput (19x HTTP) 3 12.5 Gbps Gateway-To-Gateway IPsec VPN Tunnels 100,000 SSL-VPN Throughput (19x HTTP) 3 12.5 Gbps Application Control Throughput (PS, HTTP) 3 12.5 Gbps Application Control Throughput (PS, HTTP) 3 <		FORTIGATE 2000E
Hardware Accelerated GE RJ45 Ports 32	Hardware Specifications	
GE RJ45 Management / HA Ports 2 USB Ports 1 Console Port 1 Onboard Storage 480 GB Included Transceivers 2x SFP+ (SR 10GE) System Performance IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP) IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP) 90 / 90 / 60 Gbps Firewall Throughput (Packet per Second) 90 Mpps Concurrent Sessions (TCP) 20 Million New Sessions/Second (TCP) 500,000 Firewall Policies 100,000 IPsec VPN Throughput (512 byte) ¹ 65 Gbps Gateway-to-Gateway IPsec VPN Tunnels 20,000 Client-to-Gateway IPsec VPN Tunnels 100,000 SSL-VPN Throughput 6 Gbps Concurrent SSL-VPN Users 10,000 Gateway-to-Gateway IPsec VPN Tunnels 100,000 SSL Inspection Throughput (PS, HTTP) ³ 12.5 Gbps Application Control Throughput (IPS, HTTP) ³ 12.5 Gbps Application Control Throughput (PS, HTTP) ³ 12.5 Gbps Application Control Throughput (PM, HTTP) ³ 12.5 Gbps Virtual Domains (Defau	Hardware Accelerated 10 GE SFP+ Slots	6
USB Ports	Hardware Accelerated GE RJ45 Ports	32
Console Port 1 Onboard Storage 480 GB Included Transceivers 2x SFP+ (SR 10GE) System Performance IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP) IPv6 Firewall Throughput (1518 / 512 / 64 byte, UDP) Firewall Throughput (Packet per Second) 90 / 90 / 60 Gbps Firewall Throughput (Packet per Second) 90 Mpps Concurrent Sessions (TCP) 20 Million New Sessions/Second (TCP) 500,000 Firewall Policies 100,000 IPsec VPN Throughput (512 byte) 1 65 Gbps Gateway-to-Gateway IPsec VPN Tunnels 20,000 Client-to-Gateway IPsec VPN Tunnels 100,000 SSL-VPN Throughput 6 Gbps Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, HTTP) 3 12.5 Gbps Application Control Throughput (1444 byte, UDP) 21 Gbps (HTTP 64K) 2 CAPWAP Throughput (1444 byte, UDP) 21 Gbps Maximum Number of Switches Supported 128 Maximum Number of FortiAPs (1096 / 1,024 (Total / Tunnel) Maximum Number of Registered Endpoints Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2 11.5 Gbps	GE RJ45 Management / HA Ports	2
Onboard Storage 480 GB Included Transceivers 2x SFP+ (SR 10GE) System Performance IPv4 Firewall Throughput 90 / 90 / 60 Gbps (1518 / 512 / 64 byte, UDP) IPv6 Firewall Throughput 90 / 90 / 60 Gbps (1518 / 512 / 86 byte, UDP) Firewall Latency (64 byte, UDP) Firewall Latency (64 byte, UDP) 2 µs Firewall Throughput (Packet per Second) 90 Mpps Concurrent Sessions (TCP) 20 Million New Sessions/Second (TCP) 500,000 Firewall Policies 100,000 IPsec VPN Throughput (512 byte) 1 65 Gbps Gateway-to-Gateway IPsec VPN Tunnels 20,000 Client-to-Gateway IPsec VPN Tunnels 100,000 SSL-VPN Throughput 66 Gbps Concurrent SSL-VPN Users 10,000 (Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, HTTP) 3 12.5 Gbps Application Control Throughput (1444 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiTokens 5,000 Maximum Number of FortiTokens 5,000 Maximum Number of Registered Endpoints 100,000 Maximum Number of Registered Endpoints 20,000 Maximum Number of Registered Endpoints 20,000 Maximum Number of FortiTokens 5,000 Maximum Number of FortiTokens 5,000 Maximum Number of FortiTokens 5,000 Maximum Number of FortiTokens 6,000 Maximum Number of FortiTokens 7,000 System Performance — Optimal Traffic Mix IPS Throughput 2 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2.4 9 Gbps	USB Ports	1
Included Transceivers 2x SFP+ (SR 10GE)	Console Port	1
System Performance IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP) IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP) Firewall Latency (64 byte, UDP) Firewall Throughput (Packet per Second) 90 Mpps Concurrent Sessions (TCP) 20 Million New Sessions/Second (TCP) 500,000 Firewall Policies 100,000 IPsec VPN Throughput (512 byte) 1 65 Gbps Gateway-to-Gateway IPsec VPN Tunnels 20,000 Client-to-Gateway IPsec VPN Tunnels 100,000 SSL-VPN Throughput 6 G Gbps Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, HTTP) 3 12.5 Gbps Application Control Throughput (195, HTTP) 3 12.5 Gbps Application Control Throughput (1944 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiAPs (1041 / 1024 (Total / Tunnel)) Maximum Number of Registered Endpoints 20,000 Maximum Number of Registered Endpoints 20,000 High Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2-4 9 Gbps NGFW Throughput 2-4 9 Gbps	Onboard Storage	480 GB
Pv4 Firewall Throughput (1518 / 512 / 64 byte, UDP) Pv6 Firewall Throughput (1518 / 512 / 86 byte, UDP) Pirewall Latency (64 byte, UDP) Pirewall Throughput (Packet per Second) Pirewall Throughput (Packet per Second) Sound Policies	Included Transceivers	2x SFP+ (SR 10GE)
Pv6 Firewall Throughput	System Performance	
(1518 / 512 / 86 byte, UDP) 2 μs Firewall Latency (64 byte, UDP) 2 μs Firewall Throughput (Packet per Second) 90 Mpps Concurrent Sessions (TCP) 20 Million New Sessions/Second (TCP) 500,000 Firewall Policies 100,000 IPsec VPN Throughput (512 byte) ¹ 65 Gbps Gateway-to-Gateway IPsec VPN Tunnels 20,000 Client-to-Gateway IPsec VPN Tunnels 100,000 SSL-VPN Throughput 6 Gbps Concurrent SSL-VPN Users 10,000 (Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, HTTP) ³ 12.5 Gbps Application Control Throughput (HPS, HTTP) ³ 12.5 Gbps Application Control Throughput (HA44 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiAPs (Total / Tunnel) 4,096 / 1,024 Maximum Number of Registered Endpoints 5,000 Maximum Number of Registered Endpoints 20,000 High Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput ² 25 Gbps	• .	90 / 90 / 60 Gbps
Firewall Throughput (Packet per Second) 90 Mpps Concurrent Sessions (TCP) 20 Million New Sessions/Second (TCP) 500,000 Firewall Policies 100,000 IPsec VPN Throughput (512 byte) 1 65 Gbps Gateway-to-Gateway IPsec VPN Tunnels 20,000 Client-to-Gateway IPsec VPN Tunnels 100,000 SSL-VPN Throughput 6 Gbps Concurrent SSL-VPN Users 10,000 (Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, HTTP) 3 12.5 Gbps Application Control Throughput 20 Gbps (HTTP 64K) 2 CAPWAP Throughput (1444 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiTokens 5,000 Maximum Number of FortiTokens 5,000 Maximum Number of Registered Endpoints 20,000 High Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2 11.5 Gbps NGFW Throughput 2 11.5 Gbps NGFW Throughput 2 11.5 Gbps	0 1	90 / 90 / 60 Gbps
Concurrent Sessions (TCP) 20 Million New Sessions/Second (TCP) 500,000 Firewall Policies 100,000 IPsec VPN Throughput (512 byte) 1 65 Gbps Gateway-to-Gateway IPsec VPN Tunnels 20,000 Client-to-Gateway IPsec VPN Tunnels 100,000 SSL-VPN Throughput 6 Gbps Concurrent SSL-VPN Users 10,000 (Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, HTTP) 3 12.5 Gbps Application Control Throughput 20 Gbps (HTTP 64K) 2 CAPWAP Throughput (1444 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiTokens 5,000 Maximum Number of FortiTokens 5,000 Maximum Number of Registered Endpoints 20,000 High Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2 11.5 Gbps NGFW Throughput 2 9 Gbps	Firewall Latency (64 byte, UDP)	2 µs
New Sessions/Second (TCP) 500,000 Firewall Policies 100,000 IPsec VPN Throughput (512 byte) 1 65 Gbps Gateway-to-Gateway IPsec VPN Tunnels 20,000 Client-to-Gateway IPsec VPN Tunnels 100,000 SSL-VPN Throughput 6 Gbps Concurrent SSL-VPN Users 10,000 (Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, HTTP) 3 12.5 Gbps Application Control Throughput 20 Gbps (HTTP 64K) 2 CAPWAP Throughput (1444 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiAPs 4,096 / 1,024 (Total / Tunnel) Maximum Number of Registered Endpoints 20,000 Maximum Number of Registered Endpoints 20,000 Maximum Number of FortiTokens 5,000 Maximum Number of Registered Endpoints 20,000 High Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2.4 9 Gbps	Firewall Throughput (Packet per Second)	90 Mpps
Firewall Policies 100,000 IPsec VPN Throughput (512 byte) ¹ 65 Gbps Gateway-to-Gateway IPsec VPN Tunnels 20,000 Client-to-Gateway IPsec VPN Tunnels 100,000 SSL-VPN Throughput 6 Gbps Concurrent SSL-VPN Users 10,000 (Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, HTTP) ³ 12.5 Gbps Application Control Throughput 20 Gbps (HTTP 64K) ² CAPWAP Throughput (1444 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiAPs 4,096 / 1,024 (Total / Tunnel) Maximum Number of Registered Endpoints 20,000 Maximum Number of Registered Endpoints 20,000 Maximum Number of FortiTokens 5,5000 Maximum Number of Registered Endpoints 20,000 High Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput ² 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput ² 11.5 Gbps NGFW Throughput ² 9 Gbps	Concurrent Sessions (TCP)	20 Million
Psec VPN Throughput (512 byte) 65 Gbps	New Sessions/Second (TCP)	500,000
Gateway-to-Gateway IPsec VPN Tunnels 20,000 Client-to-Gateway IPsec VPN Tunnels 100,000 SSL-VPN Throughput 6 Gbps Concurrent SSL-VPN Users 10,000 (Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, HTTP) 12.5 Gbps Application Control Throughput 20 Gbps (HTTP 64K) 2 CAPWAP Throughput (1444 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiAPs 4,096 / 1,024 (Total / Tunnel) Maximum Number of Registered Endpoints 5,000 Maximum Number of Registered Endpoints 20,000 High Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2.4 9 Gbps	Firewall Policies	100,000
Client-to-Gateway IPsec VPN Tunnels 100,000 SSL-VPN Throughput 6 Gbps Concurrent SSL-VPN Users 10,000 (Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, HTTP) 3 12.5 Gbps Application Control Throughput 20 Gbps (HTTP 64K) 2 CAPWAP Throughput (1444 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiAPs 4,096 / 1,024 (Total / Tunnel) Maximum Number of Registered Endpoints 5,000 Maximum Number of Registered Endpoints 20,000 Migh Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2.4 9 Gbps	IPsec VPN Throughput (512 byte) 1	65 Gbps
SSL-VPN Throughput 6 Gbps Concurrent SSL-VPN Users 10,000 (Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, HTTP) 3 12.5 Gbps Application Control Throughput 20 Gbps (HTTP 64K) 2 CAPWAP Throughput (1444 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiAPs 4,096 / 1,024 (Total / Tunnel) Maximum Number of FortiTokens 5,000 Maximum Number of Registered Endpoints 20,000 Maximum Number of Registered Endpoints Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2.4 9 Gbps	Gateway-to-Gateway IPsec VPN Tunnels	20,000
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, HTTP) 3 12.5 Gbps Application Control Throughput 20 Gbps (HTTP 64K) 2 CAPWAP Throughput (1444 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiAPs 4,096 / 1,024 (Total / Tunnel) Maximum Number of FortiTokens 5,000 Maximum Number of Registered Endpoints 20,000 Maximum Number of Registered Endpoints Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2 9 Gbps	Client-to-Gateway IPsec VPN Tunnels	100,000
(Recommended Maximum, Tunnel Mode) SSL Inspection Throughput (IPS, HTTP) 3 12.5 Gbps Application Control Throughput 20 Gbps (HTTP 64K) 2 CAPWAP Throughput (1444 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiAPs 4,096 / 1,024 (Total / Tunnel) Maximum Number of FortiTokens 5,000 Maximum Number of Registered Endpoints 20,000 Maximum Number of Registered Endpoints Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2 9 Gbps	SSL-VPN Throughput	6 Gbps
SSL Inspection Throughput (IPS, HTTP) ³ 12.5 Gbps Application Control Throughput (HTTP 64K) ² CAPWAP Throughput (1444 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiAPs 4,096 / 1,024 (Total / Tunnel) Maximum Number of FortiTokens 5,000 Maximum Number of Registered Endpoints 20,000 Maximum Number of Registered Endpoints Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput ² 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput ² 11.5 Gbps NGFW Throughput ² 9 Gbps	Concurrent SSL-VPN Users	10,000
Application Control Throughput (HTTP 64K) 2 CAPWAP Throughput (1444 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiAPs 4,096 / 1,024 (Total / Tunnel) 5,000 Maximum Number of FortiTokens 5,000 Maximum Number of Registered Endpoints 20,000 Maximum Number of Registered Endpoints Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2.4 9 Gbps	(Recommended Maximum, Tunnel Mode)	
(HTTP 64K) ² CAPWAP Throughput (1444 byte, UDP) 21 Gbps Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiAPs 4,096 / 1,024 (Total / Tunnel) 4,096 / 1,024 (Total / Tunnel) 5,000 Maximum Number of FortiTokens 5,000 Maximum Number of Registered Endpoints 20,000 High Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput ² 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput ² 11.5 Gbps NGFW Throughput ² 9 Gbps	SSL Inspection Throughput (IPS, HTTP) ³	12.5 Gbps
Virtual Domains (Default / Maximum) 10 / 500 Maximum Number of Switches Supported 128 Maximum Number of FortiAPs (Total / Tunnel) 4,096 / 1,024 (Total / Tunnel) 5,000 Maximum Number of FortiTokens 5,000 Maximum Number of Registered Endpoints 20,000 High Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2.4 9 Gbps	• •	20 Gbps
Maximum Number of Switches Supported Maximum Number of FortiAPs (Total / Tunnel) Maximum Number of FortiTokens 5,000 Maximum Number of Registered Endpoints 20,000 High Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2.4 9 Gbps	CAPWAP Throughput (1444 byte, UDP)	21 Gbps
Maximum Number of FortiAPs (Total / Tunnel) Maximum Number of FortiTokens 5,000 Maximum Number of Registered Endpoints 20,000 High Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2.4 9 Gbps	Virtual Domains (Default / Maximum)	10 / 500
(Total / Tunnel) Maximum Number of FortiTokens 5,000 Maximum Number of Registered Endpoints 20,000 High Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2.4 9 Gbps	Maximum Number of Switches Supported	128
Maximum Number of Registered Endpoints 20,000 High Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2.4 9 Gbps		4,096 / 1,024
High Availability Configurations Active-Active, Active-Passive, Clustering System Performance — Optimal Traffic Mix IPS Throughput 2 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput 2 11.5 Gbps NGFW Throughput 2.4 9 Gbps	Maximum Number of FortiTokens	5,000
System Performance — Optimal Traffic Mix IPS Throughput ² 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput ² 11.5 Gbps NGFW Throughput ^{2.4} 9 Gbps	Maximum Number of Registered Endpoints	20,000
IPS Throughput ² 25 Gbps System Performance — Enterprise Traffic Mix IPS Throughput ² 11.5 Gbps NGFW Throughput ².4 9 Gbps	High Availability Configurations	Active-Active, Active-Passive, Clustering
System Performance — Enterprise Traffic Mix IPS Throughput ² 11.5 Gbps NGFW Throughput ^{2.4} 9 Gbps	System Performance — Optimal Traffic Mix	x
IPS Throughput ² 11.5 Gbps NGFW Throughput ².4 9 Gbps	IPS Throughput ²	25 Gbps
NGFW Throughput ^{2,4} 9 Gbps	System Performance — Enterprise Traffic	Mix
	IPS Throughput ²	11.5 Gbps
Threat Protection Throughput ^{2,5} 5.4 Gbps	NGFW Throughput ^{2,4}	9 Gbps
	Threat Protection Throughput ^{2,5}	5.4 Gbps

	FORTIGATE 2000E		
Dimensions			
Height x Width x Length (inches)	3.5 x 17.4 x 21.9		
Height x Width x Length (mm)	89 x 442 x 555		
Weight	37.0 lbs (16.8 kg)		
Form Factor	Rack Mount, 2 RU		
Power			
AC Power Supply	100-240V AC, 50-60 Hz		
Maximum Current	9A		
Power Consumption (Average / Maximum)	280 / 430 W		
Heat Dissipation	1,467 BTU/h		
Redundant Power Supplies	Yes, Hot swappable		
Operating Environment and Certifications			
Operating Temperature	32-104°F (0-40°C)		
Storage Temperature	-31–158°F (-35–70°C)		
Humidity	10-90% non-condensing		
Noise Level	58 dBA		
Operating Altitude	Up to 7,400 ft (2,250 m)		
Compliance	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB		
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN		

Note: All performance values are "up to" and vary depending on system configuration.

- 1. IPsec VPN performance test uses AES256-SHA256.
- 2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.
- 3. SSL Inspection performance test uses TLS v1.2 with AES128-SHA256.

- NGFW performance is measured with Firewall, IPS and Application Control enabled.
 Threat Protection performance is measured with Firewall, IPS, Application Control and Malware. Protection enabled.

ORDER INFORMATION

Product	SKU	Description
FortiGate 2000E	FG-2000E	6x 10 GE SFP+ slots, 34x GE RJ45 ports (including 32x ports, 2x management/HA ports), SPU NP6 and CP9 hardware accelerated, 480 GB SSD onboard storage.
Optional Accessories		
10 GE SFP+ transceiver module, short range	FG-TRAN-SFP+SR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ transceiver module, long range	FG-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ active direct attach cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.
Rack mount sliding rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-2000E, FG-2500E, FG-3040B/-DC, FG-3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC, FG-3815D/-DC and FG-3950B/-DC.
AC power supply	SP-FG2000E-PS	AC power supply for FG-2000E and FG-2500E.

FortiGuard Bundle FortiGuard Labs delivers a

number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	Threat Protection	UTM	Enterprise Protection
FortiSandbox Cloud (plus FortiGuard CDR* and VOP* service)			•
FortiGuard Antispam		•	•
FortiGuard Web Filtering		•	•
FortiGuard Antivirus + Botnet + Mobile AV Service	•	•	•
FortiGuard IPS Service	•	•	•
FortiCare + FortiGuard App Control Service	•	•	•

* Available when running FortiOS 6.0 and above



GLOBAL HEADQUARTERS Fortinet Inc. 899 KIFER ROAD Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 905 rue Albert Einstein 06560 Valbonne France Tel: +33.4.8987.0500

APAC SALES OFFICE 300 Beach Road 20-01 The Concourse Singapore 199555 Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE Sawgrass Lakes Center 13450 W. Sunrise Blvd., Suite 430 Sunrise, FL 33323 United States Tel: +1.954.368.9990

Copyright© 2018 Forfinet, Inc. All rights reserved. Forficate®, Forficate®, Forficate® and Forficard®, and certain other marks are registered trademarks of Forfinet, Inc., in the U.S. and other jurisdictions, and other Forfinet names herein may also be registered and/or common law trademarks of Forfinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Forfinet, and Forfinet disclaims all warranties, whether express or implied, except to the extent Forfinet network and the results may vary. Network variables, different network environments and other results may vary. Network variables, different network environments and other conditions may affect performance metrics and in such performance metrics and performance metrics and in such performance metrics and performance metrics. The performance metrics are registered and/or common law trademarks of Forfinet and other results may vary. Network variables, and other results may vary. Network variables, federal control of Forfinet disclaims and other results and other results and other results may vary. Network variables, federal control of Forfinet disclaims in full and other common metrics. The performance metrics and other results and other results may vary. Network variables, federal control other performanc