


FortiGate[®] 3200D

FG-3200D and 3200D-DC

Next Generation Firewall Internal Segmentation Firewall Data Center Firewall and IPS Carrier-Class Firewall



The FortiGate 3200D series delivers high performance threat protection for mid-sized to large enterprises and service providers, with the flexibility to be deployed at the Internet or cloud edge, in the data center core or internal segments. The multiple high-speed interfaces, high port density, industry-leading security efficacy and high throughput of the 3200D series keeps your network connected and secure.

Security

- Protects against known exploits, malware and malicious websites using continuous threat intelligence provided by FortiGuard Labs security services
- Protects against unknown attacks using dynamic analysis and provides automated mitigation to stop targeted attacks

Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin and AV Comparatives

Networking

- Delivers extensive routing, high-speed interfaces, and high performance VPN capabilities to address performance and connectivity needs of large-scale data center and cloud applications
- Enables flexible deployment modes that fit into organizations' evolving network infrastructure

Management

- Single Pane of Glass with Network Operations Center (NOC) view provides 360° visibility to identify issues quickly and intuitively
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

 Enables Fortinet and Fabric-ready partners' products to collaboratively integrate and provide end-to-end security across the entire attack surface



Firewall	IPS	NGFW	Threat Protection	Interfaces
80 Gbps	26 Gbps	24 Gbps	15 Gbps	Multiple GE RJ45 and 10 GE SFP+ / GE SFP slots

Refer to specification table for details

DEPLOYMENT



Next Generation Firewall (NGFW)

- Security gateway to the Internet for enterprises
- Enforce security policies with granular control and visibility of users and devices for thousands of discrete applications
- Identify and stop threats with powerful intrusion prevention beyond port and protocol that examines the actual content of your network traffic



Internal Segmentation Firewall (ISFW)


- Segmentation solution for end-to-end protection against threats while meeting compliance requirements
- High port density and accelerated traffic processing capacity, to protect multiple segments without compromising performance
- Deploy transparently and rapidly into existing environments with minimal disruption



- High availability, high throughput and low latency firewall for data center edge and core
- High session scale for accommodating large network and user traffic for Internet and cloud-facing data centers
- High-speed interfaces for future-proof connectivity while compact size contributes to greener data centers
- Performance optimized IPS engine to detect and deter latest known and zero day threats


Carrier-Class Firewall (CCFW)

- Reliable high capacity firewall designed for service providers
- Powered by multiple SPU Network Processors that accelerate processing for both IPv4 and IPv6 traffic
- Supports Carrier License upgrade that unlocks features and protocol support for mobile networks such as GTP and SCTP
- High-speed interfaces for future-proof connectivity




FortiGate 3200D deployment in large campus networks (NGFW, ISFW)

FortiGate 3200D deployment in data center (DCFW-IPS/NGFW, ISFW)



HARDWARE





Interfaces

1. USB N	Management Port	
2. USB P	Port	
3. Conso	ole Port	

Powered by SPU

- 6		
- 1		
- 1		
- 1	SPU	
- L	010	IJ

- Custom SPU processors deliver the power you need to detect malicious content at multi-Gigabit speeds
- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

4. 2x GE RJ45 Management Ports
 5. 48x 10 GE SFP+ / GE SFP Slots

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

The SPU CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading

10 GE Connectivity for Network Segmentation

High speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 3200D provides the highest 10 GE port densities in the market, simplifying network designs without relying on additional devices to bridge desired connectivity.




FORTINET SECURITY FABRIC

Security Fabric


The Security Fabric allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.



FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated nextgeneration security platform.



- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated advanced threat protection.
- Fulfill your networking needs with extensive routing, switching, and SD-WAN capabilities.
- Ultilize SPU hardware acceleration to boost security capability performance.

For more information, please refer to the FortiOS data sheet available at www.fortinet.com

SERVICES



FortiGuard[™] Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare

SPECIFICATIONS

	FORTIGATE 3200D AND 3200D-DC		
Interfaces and Modules			
10 GE SFP+ / GE SFP Slots	48		
GE RJ45 Management Ports	2		
USB Ports (Client / Server)	1/1		
Console Port	1		
Internal Storage	2x 480 GB		
Included Transceivers	2x SFP+ (SR 10GE)		
System Performance and Capacity			
Firewall Throughput (1518 / 512 / 64 byte, UDP)	80 / 80 / 50 Gbps		
IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)	80 / 80 / 50 Gbps		
Firewall Latency (64 byte, UDP)	3 µs		
Firewall Throughput (Packet per Second)	75 Mpps		
Concurrent Sessions (TCP)	50 Million		
New Sessions/Second (TCP)	400,000		
Firewall Policies	200,000		
IPsec VPN Throughput (512 byte) ¹	50 Gbps		
Gateway-to-Gateway IPsec VPN Tunnels	40,000		
Client-to-Gateway IPsec VPN Tunnels	200,000		
SSL-VPN Throughput	8 Gbps		
Concurrent SSL-VPN Users	30,000		
(Recommended Maximum, Tunnel Mode)			
SSL Inspection Throughput (IPS, HTTP) ³	20 Gbps		
Application Control Throughput (HTTP 64K) ²	50 Gbps		
CAPWAP Throughput (1444 byte, UDP)	22 Gbps		
Virtual Domains (Default / Maximum)	10 / 500		
Maximum Number of Switches Supported	256		
Maximum Number of FortiAPs (Total / Tunnel Mode)	4,096 / 1,024		
Maximum Number of FortiTokens	5,000		
Maximum Number of Registered FortiClients	50,000		
High Availability Configurations	Active / Active, Active / Passive, Clustering		
System Performance — Optimal Traffic Mi	x		
IPS Throughput ²	44 Gbps		
System Performance — Enterprise Traffic	Mix		
IPS Throughput ²	26 Gbps		
NGFW Throughput ^{2,4}	24 Gbps		
Threat Protection Throughput ^{2, 5}	15 Gbps		

	FORTIGATE 3200D AND 3200D-DC
Dimensions and Power	
Height x Width x Length (inches)	3.5 x 17.4 x 21.9
Height x Width x Length (mm)	88 x 442 x 555
Weight	37.9 lbs (17.2 kg)
Form Factor	2 RU
AC Power Supply	100–240V AC, 50–60 Hz
DC Power Supply (FG-3200D-DC)	40.5–57V DC
Power Consumption (Average / Maximum)	350 W / 598 W
Heat Dissipation	2041 BTU/h
Redundant Power Supplies	Yes, Hot Swappable
Operating Environment and Certifications	
Operating Temperature	32-104°F (0-40°C)
Storage Temperature	-31–158°F (-35–70°C)
Humidity	10–90% non-condensing
Noise Level	50 dBA
Operating Altitude	Up to 7,400 ft (2,250 m)
Compliance	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN; USGv6/IPv6

Note: All performance values are "up to" and vary depending on system configuration.

1. IPsec VPN performance test uses AES256-SHA256.

2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

3. SSL Inspection performance test uses TLS v1.2 with AES128-SHA256.

- NGFW performance is measured with Firewall, IPS and Application Control enabled.
 Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

F#RTINET.

ORDER INFORMATION

Product	SKU	Description	
FortiGate 3200D	FG-3200D	48x 10 GE SFP+ slots, 2x GE RJ45 Management, SPU NP6 and CP8 hardware accelerated, 960 GB SSD onboard storage, and dual AC power supplies.	
FortiGate 3200D-DC	FG-3200D-DC	48x 10 GE SFP+ slots, 2x GE RJ45 Management, SPU NP6 and CP8 hardware accelerated, 960 GB SSD onboard s and dual DC power supplies.	
Optional Accessories			
Rack Mount Sliding Rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-3040B/-DC, FG-3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3700D/-DC, FG-3000D/-DC, FG-300D/-DC, FG-3000D/-DC, FG-3000	
10 GE SFP+ Transceiver Module, Short Range	FG-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.	
10 GE SFP+ Transceiver Module, Long Range	FG-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.	
1 GE SFP LX Transceiver Module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.	
1 GE SFP RJ45 Transceiver Module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.	
1 GE SFP SX Transceiver Module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.	
10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.	
AC Power Supply	SP-FG3600C-PS	AC power supply for FG-3000D, FG-3100D, FG-3200D, FG-3600C and FG-3240C.	
DC Power Supply	SP-FG1500D-DC-PS	DC power supply for FG-1500D-DC, FG-3000D-DC, FG-3100D-DC, FG-3200D-DC.	



FortiGuard Bundle

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Threat Protection	UTM	Enterprise Protection
		•
	•	•
	٠	٠
•	•	•
•	•	•
•	٠	•
	Threat Protection	Threat Protection UTM

* Available when running FortiOS 6.0 and above



GLOBAL HEADQUARTERS Fortinet Inc. 899 KIFER ROAD Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 905 rue Albert Einstein 06560 Valbonne France Tel: +33.4.8987.0500

APAC SALES OFFICE 300 Beach Road 20-01 The Concourse Singapore 199555 Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE Sawgrass Lakes Center 13450 W. Sunrise Blvd., Suite 430 Sunrise, FL 33323 United States Tel: +1.954.368.9990

Copyright© 2018 Fortinet, Inc. All rights reserved. Fortilate@, Fortilate@, Fortilate@, Fortilate@, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other marks are registered trademarks of their nesses under lideal conditions, and actual parformance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Noting herein represents any binding commitment by Fortinet, and Fortine disclaims all warrantes, whether express or implied, except to the extent Fortine teres a binding written contract, signed by Fortinet's General Coursel, with performance metrics and, mush event, only the specific performance metrics express/verified to extent. Fortinet teres a binding written contract, signed by Fortinet. For about early, any warrant y lab erite performance metrics are under the semeshall conditions as in Fortinet's internal lab tests. In one vent does Fortinet make any commitment related to future deliverables, features or development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and quarantees pursuant here twee performance metrics and the proteined in the most current version of the publication shall be applicable.