

# FortiGate 3400E Series

FG-3400E/-DC and FG-3401E/-DC



#### Highlights

Gartner Magic Quadrant Leader for both Network Firewalls and SD-WAN.

Security-Driven Networking FortiOS delivers converged networking and security.

Unparalleled Performance with Fortinet's patented / SPU / vSPU processors.

#### **Enterprise Security**

with consolidated Al / ML-powered FortiGuard Services.

Hyperscale Security to secure any edge at any scale.

### **High Performance with Flexibility**

The FortiGate 3400E Series enables organizations to build security-driven networks that can weave security deep into their datacenter and across their hybrid IT architecture to protect any edge at any scale.

Powered by a rich set of AI/ML-based FortiGuard Services and an integrated security fabric platform, the FortiGate 3400E Series delivers coordinated, automated, end-to-end threat protection across all use cases.

The industry's first integrated Zero Trust Network Access (ZTNA) enforcement within an NGFW solution, FortiGate 3400E Series automatically controls, verifies, and facilitates user access to applications delivering consistent convergence with a seamless user experience.

IPS	NGFW	Threat Protection	Interfaces
44 Gbps	34 Gbps	25 Gbps	Multiple GE RJ45, 25 GE SFP28 / 10 GE SFP+ / GE SFP and 100 GE QSFP28 / 40 GE QSFP+ slots



Available in



Appliance



Virtual





Cloud



Container

### **FortiOS Everywhere**

#### FortiOS, Fortinet's Advanced Operating System

FortiOS enables the convergence of high performing networking and security across the Fortinet Security Fabric. Because it can be deployed anywhere, it delivers consistent and context-aware security posture across network, endpoint, and multi-cloud environments.

FortiOS powers all FortiGate deployments whether a physical or virtual device, as a container, or as a cloud service. This universal deployment model enables the consolidation of many technologies and use cases into a simplified, single policy and management framework. Its organically built best-of-breed capabilities, unified operating system, and ultra-scalability allows organizations to protect all edges, simplify operations, and run their business without compromising performance or protection.

FortiOS dramatically expands the Fortinet Security Fabric's ability to deliver advanced Al/ ML-powered services, inline advanced sandbox detection, integrated ZTNA enforcement, and more, provides protection across hybrid deployment models for hardware, software, and Software-as-a-Service with SASE.

FortiOS expands visibility and control, ensures the consistent deployment and enforcement of security policies, and enables centralized management across large-scale networks with the following key attributes:

- Interactive drill-down and topology viewers that display real-time status
- On-click remediation that provides accurate and quick protection against threats and abuses
- Unique threat score system correlates weighted threats with users to prioritize investigations



Intuitive easy to use view into the network and endpoint vulnerabilities



Visibility with FOS Application Signatures

#### FortiConverter Service

FortiConverter Service provides hassle-free migration to help organizations transition from a wide range of legacy firewalls to FortiGate Next-Generation Firewalls quickly and easily. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.



### **FortiGuard Services**

#### **Network and File Security**

Services provide protection against network-based and file-based threats. This consists of Intrusion Prevention (IPS) which uses AI/M models to perform deep packet/SSL inspection to detect and stop malicious content, and apply virtual patching when a new vulnerability is discovered. It also includes Anti-Malware for defense against known and unknown file-based threats. Anti-malware services span both antivirus and file sandboxing to provide multilayered protection and are enhanced in real-time with threat intelligence from FortiGuard Labs. Application Control enhances security compliance and offers real-time application visibility.

#### Web / DNS Security

Services provide protection against web-based threats including DNS-based threats, malicious URLs (including even in emails), and botnet/command and control communications. DNS filtering provides full visibility into DNS traffic while blocking high-risk domains, and protects against DNS tunneling, DNS infiltration, C2 server ID and Domain Generation Algorithms (DGA). URL filtering leverages a database of 300M+ URLs to identify and block links to malicious sites and payloads. IP Reputation and anti-botnet services prevent botnet communications, and block DDoS attacks from known sources.

#### SaaS and Data Security

Services address numerous security use cases across application usage as well as overall data security. This consists of Data Leak Prevention (DLP) which ensures data visibility, management and protection (including blocking exfiltration) across networks, clouds, and users, while simplifying compliance and privacy implementations. Separately, our Inline Cloud Access Security Broker (CASB) service protects data in motion, at rest, and in the cloud. The service enforces major compliance standards and manages account, user and cloud application usage. Services also include capabilities designed to continually assess your infrastructure, validate that configurations are working effectively and secure, and generate awareness of risks and vulnerabilities that could impact business operations. This includes coverage across IoT devices for both IoT detection and IoT vulnerability correlation.

#### **Zero-Day Threat Prevention**

Zero-day threat prevention entails Fortinet's AI-based inline malware prevention, our most advanced sandbox service, to analyze and block unknown files in real-time, offering subsecond protection against zero-day and sophisticated threats across all NGFWs. The service also has a built-in MITRE ATT&CK® matrix to accelerate investigations. The service focuses on comprehensive defense by blocking unknown threats while streamlining incident response efforts and reducing security overhead.

#### **OT Security**

The service provides OT detection, OT vulnerability correlation, virtual patching, OT signatures, and industry-specific protocol decoders for overall robust defense of OT environments and devices.



### Secure Any Edge at Any Scale

#### Powered by Security Processing Unit (SPU)

Traditional firewalls cannot protect against today's content- and connection-based threats because they rely on off-the-shelf hardware and general-purpose CPUs, causing a dangerous performance gap. Fortinet's custom SPU processors deliver the power you need—up to 520Gbps—to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

#### ASIC Advantage



Network Processor 6 NP6

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload, and packet defragmentation
- Traffic shaping and priority queuing



Content Processor 9 CP9

Content Processors act as co-processors to offload resource-intensive processing of security functions. The ninth generation of the Fortinet Content Processor, the CP9, accelerates resource-intensive SSL (including TLS 1.3) decryption and security functions while delivering:

- Pattern matching acceleration and fast inspection of real-time traffic for application identification
- IPS pre-scan/pre-match, signature correlation offload, and accelerated antivirus processing



#### FortiCare Services

Fortinet is dedicated to helping our customers succeed, and every year FortiCare Services help thousands of organizations get the most from our Fortinet Security Fabric solution. Our lifecycle portfolio offers Design, Deploy, Operate, Optimize, and Evolve services. Operate services offer device-level FortiCare Elite service with enhanced SLAs to meet our customer's operational and availability needs. In addition, our customized account-level services provide rapid incident resolution and offer proactive care to maximize the security and performance of Fortinet deployments.



### Use Cases

#### Next Generation Firewall (NGFW)

- FortiGuard Labs' suite of Al-powered Security Services—natively integrated with your NGFW—secures web, content, and devices and protects networks from ransomware and sophisticated cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU (Security Processing Unit) technology provides industry-leading high-performance protection



#### Segmentation

- Dynamic segmentation adapts to any network topology to deliver true end-to-end security—from the branch to the datacenter and across multi-cloud environments
- Ultra-scalable, low latency, VXLAN segmentation bridges physical and virtual domains with Layer 4 firewall rules
- Prevents lateral movement across the network with advanced, coordinated protection from FortiGuard Security Services detects and prevents known, zero-day, and unknown attacks



#### Secure SD-WAN

- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for work-from-any where models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and self-healing



#### Mobile Security for 4G, 5G, and IoT

- SPU-accelerated, high performance CGNAT and IPv6 migration options, including: NAT44, NAT444, NAT64/ DNS64, NAT46 for 4G Gi/sGi, and 5G N6 connectivity and security
- RAN Access Security with highly scalable and highest-performing IPsec aggregation and control Security Gateway (SecGW)
- User plane security enabled by full threat protection and visibility into GTP-U inspection

FortiClient

TANA / VPN


FortiClient

</t

Datacenter Deployment (NGFW, IPS, Segmentation)

### Hardware

#### FortiGate 3400E Series



#### Interfaces

- 1. 1 x USB Management Port
- 2. 1 x Console Port
- 3. 2 x GE RJ45 Management Ports
- 4.  $2 \times 25$  GE SFP28 / 10 GE SFP+ / GE SFP HA Slots
- 5. 22 × 25 GE SFP28 / 10 GE SFP+ / GE SFP Slots
- 6. 4 × 100 GE QSFP28 / 40 GE QSFP+ Slots

#### **Hardware Features**



#### 100 GE Connectivity for Network

High-speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 3400E Series provides multiple 100 GE QSFP28 slots, simplifying network designs without relying on additional devices to bridge desired connectivity.

## **Specifications**

Interfaces and ModulesHardware Accelerated 100 GE QSFP28 / 100 GE QSFP+ Slots4Hardware Accelerated 25 GE SFP28 / 0 GE SFP 10 GE SFP 510ts24SE RJ45 Management Ports2JSB Ports (Client / Server)1 / 1Console Port1Dhobard Storage02× 2 TB SSDncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixPS Throughput 244 GbpsVGFW Throughput 2.434 GbpsChreat Protection Throughput 2.434 GbpsSystem Performance and CapacityPy 4 Firewall Throughput 1.5240 / 238 / 150 GbpsPy 4 Firewall Throughput 1518 / 512 / 64 byte, UDP)3.33 µsSinewall Throughput (Jacket per Second)225 MppsConcurrent Sessions (TCP)50 MillionVew Sessions/Second (TCP)30 000Piewall Policies200 000Piewall Policies200 000Sist-VPN Throughput (512 byte) 1140 GbpsClient-to-Gateway IPsec VPN Tunnels40 000Sist-VPN Throughput TISP' 314 000Sist-Inspection Throughput30 GbpsSist-Inspection Throughput30 GbpsSist-	3401E/-DC			
L0 GE QSFP+ Slots       24         lardware Accelerated 25 GE SFP28 / 0 GE SFP* / GE SFP Slots       2         SE RJ45 Management Ports       2         JSB Ports (Client / Server)       1/1         Console Port       1         Duboard Storage       0       2× 2 TB SSD         Included Transceivers       2x SFP+ (SR 10 GE)         System Performance — Enterprise Traffic Mix       PV         PS Throughput 2       44 Gbps         IGFW Throughput 2.4       34 Gbps         Roge Performance and Capacity       PV4 Firewall Throughput 1.50 Gbps         PV4 Firewall Throughput 1.512 / 64 byte, UDP)       2.33 µs         Tirewall Throughput (Packet per Second)       2.25 Mpps         Concurrent Sessions (TCP)       50 Million         Vew Sessions/Second (TCP)       850 000         Stateway-to-Gateway IPsec VPN Tunnels       40 000         Client-to-Gateway IPsec VPN Tunnels       200 000         Sist_PVN Throughput       11 Gbps         Concurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)       30 Gbps         Sist_Inspection Throughput IPS, avg. HTTPS) 3       14 000         Sist_Inspection Chroughput IPS, avg. HTTPS) 3       49 Million				
O GE SFP+ / GE SFP SlotsSE RJ45 Management Ports2SE RJ45 Management Ports1 / 1Console Port1Console Port1Duboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixPS Throughput 244 GbpsGFW Throughput 2.434 GbpsGFW Throughput 2.434 GbpsSystem Performance and CapacityPy 4 Firewall Throughput 1.5250 GbpsSystem Performance and CapacityPy 6 Firewall Throughput 1518 / 512 / 64 byte, UDP)3.33 µSSistem Performance and CapacityPy 6 Firewall Throughput 10P)240 / 238 / 150 GbpsSystem Performance and CapacityPy 6 Firewall Throughput 10P)3.33 µSSistem Performance and CapacityPy 6 Firewall Throughput 10P)3.33 µSSister Performance and CapacityPy 6 Firewall Throughput 10P)3.33 µSSister Performance and CapacityPy 6 Firewall Throughput 10P)3.33 µSSister Performance and CapacityPy 6 Firewall Throughput 10P)Sister Performance and CapacitySister Performance Advantiperformance Advantiperfor<	4			
Jack Ports (Client / Server)1 / 1Console Port1Dinboard Storage02× 2 TB SSDIncluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixPS Throughput 244 GbpsIGFW Throughput 2.434 GbpsIGFW Throughput 2.434 GbpsSystem Performance and CapacityPy 4 Firewall Throughput 1512 / 64 byte, UDP)240 / 238 / 150 GbpsPy 6 Firewall Throughput 1512 / 54 byte, UDP)3.33 µsSirewall Latency (64 byte, UDP)3.33 µsSirewall Throughput (Packet per Second)225 MppsConcurrent Sessions (TCP)50 MillionNew Sessions/Second (TCP)850 000Sirewall Policies200 000Psec VPN Throughput (512 byte) 1140 GbpsConcurrent SSL-VPN Tunnels40 000Sist Inspection CPS (IPS, avg. HTTPS) 314 000SSL Inspection CPS (IPS, avg. HTTPS) 314 000SSL Inspection Concurrent Session4.9 MillionSSL	24			
Console Port1Dnboard Storage02× 2 TB SSDneluded Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixPS Throughput 244 GbpsNGFW Throughput 2.434 GbpsThreat Protection Throughput 2.525 GbpsSystem Performance and CapacityPV4 Firewall Throughput240 / 238 / 150 GbpsPv6 Firewall Throughput240 / 238 / 150 Gbps1518 / 512 / 64 byte, UDP)3.33 µsSirewall Latency (64 byte, UDP)3.33 µsSirewall Throughput (Packet per Second)225 MppsConcurrent Sessions (TCP)50 MillionNew Sessions/Second (TCP)850 000Sirewal Policies200 000Psec VPN Throughput (512 byte) 1140 GbpsConcurrent SSL-VPN Tunnels40 000SisL Inspection Throughput30 GbpsSisL Inspection CPS (IPS, avg. HTTPS) 314 000SisL Inspection CPS (IPS, avg. HTTPS) 314 000SisL Inspection Concurrent Session4.9 MillionSisL Inspection Concurrent Session4.9 Million	2			
Dubbard Storage02× 2 TB SSDDubbard Storage02× 2 TB SSDSystem Performance — Enterprise Traffic Mix2PS Throughput 244 GbpsIGFW Throughput 2.434 GbpsIGFW Throughput 2.434 GbpsSystem Performance and Capacity240 / 238 / 150 GbpsPv4 Firewall Throughput 1518 / 512 / 64 byte, UDP)240 / 238 / 150 GbpsSystem Performance and Capacity240 / 238 / 150 GbpsPv4 Firewall Throughput 1518 / 512 / 64 byte, UDP)3.33 μsSirewall Latency (64 byte, UDP)3.33 μsSirewall Throughput (Packet per Second)225 MppsConcurrent Sessions (TCP)50 MillionNew Sessions/Second (TCP)850 000Sateway-to-Gateway IPsec VPN Tunnels200 000SSL Inspection Throughput11 GbpsSoncurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)30 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 314 000SSL Inspection CPS (IPS, avg. HTTPS) 314 000SSL Inspection Concurrent Session4.9 MillionIPS, avg. HTTPS) 446 Gbps	1/1			
Included Transceivers2x SFP+ (SR 10 GE)System Performance — Enterprise Traffic MixPS Throughput 244 GbpsIGFW Throughput 2.434 GbpsIGFW Throughput 2.434 GbpsSystem Performance and CapacityPv4 Firewall Throughput 100 (200 (200 (200 (200 (200 (200 (200	1			
System Performance — Enterprise Traffic Mix         PS Throughput 2       44 Gbps         AGFW Throughput 2.4       34 Gbps         IGFW Throughput 2.5       25 Gbps         System Performance and Capacity       240 / 238 / 150 Gbps         Py 4 Firewall Throughput 1518 / 512 / 64 byte, UDP)       240 / 238 / 150 Gbps         Py 6 Firewall Throughput 1518 / 512 / 64 byte, UDP)       3.33 µs         Firewall Latency (64 byte, UDP)       3.33 µs         Sinewall Throughput (Packet per Second)       225 Mpps         Concurrent Sessions (TCP)       50 Million         New Sessions/Second (TCP)       850 000         Firewall Policies       200 000         Psec VPN Throughput (512 byte) 1       140 Gbps         Sateway-to-Gateway IPsec VPN Tunnels       200 000         SSL-VPN Throughput (S12 byte) 1       11 Gbps         Concurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)       30 Gbps         SSL Inspection CPS (IPS, avg. HTTPS) 3       14 000         SSL Inspection CPS (IPS, avg. HTTPS) 3       4.9 Million         IPS, avg. HTTPS) 3       4.9 Million         IPS, avg. HTTPS) 3       4.9 Million	2× 2 TB SSD			
PS Throughput 244 GbpsAGFW Throughput 2.434 GbpsIf read Protection Throughput 2.525 GbpsSystem Performance and Capacity240 / 238 / 150 GbpsPy4 Firewall Throughput 1518 / 512 / 64 byte, UDP)240 / 238 / 150 GbpsPy6 Firewall Throughput 1518 / 512 / 86 byte, UDP)240 / 238 / 150 GbpsProf Firewall Latency (64 byte, UDP)3.33 μsSirewall Throughput (Packet per Second)225 MppsConcurrent Sessions (TCP)50 MillionNew Sessions/Second (TCP)850 000Psec VPN Throughput (512 byte) 1140 GbpsSateway-to-Gateway IPsec VPN Tunnels40 000Concurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)30 000SSL Inspection CPS (IPS, avg. HTTPS) 314 000SSL Inspection CPS (IPS, avg. HTTPS) 34.9 MillionSSL Inspection Concurrent Session IPS, avg. HTTPS) 34.9 Million	+ (SR 10 GE)			
AGFW Throughput 2.434 GbpsThreat Protection Throughput 2.525 GbpsSystem Performance and Capacity240 / 238 / 150 GbpsPv4 Firewall Throughput 1518 / 512 / 64 byte, UDP)240 / 238 / 150 GbpsPv6 Firewall Throughput 1518 / 512 / 86 byte, UDP)240 / 238 / 150 GbpsSirewall Latency (64 byte, UDP)3.33 µsSirewall Throughput (Packet per Second)225 MppsConcurrent Sessions (TCP)50 MillionNew Sessions/Second (TCP)850 000Sirewall Policies200 000Psec VPN Throughput (512 byte) 1140 GbpsConcurrent SSL-VPN Tunnels40 000Concurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)30 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 314 000SSL Inspection CPS (IPS, avg. HTTPS) 34.9 MillionSSL Inspection Concurrent Session IPS, avg. HTTPS) 34.9 Million				
Threat Protection Throughput 2.525 GbpsSystem Performance and Capacity240 / 238 / 150 GbpsPy4 Firewall Throughput 1518 / 512 / 64 byte, UDP)240 / 238 / 150 GbpsPy6 Firewall Throughput 1518 / 512 / 86 byte, UDP)240 / 238 / 150 GbpsPrewall Latency (64 byte, UDP)3.33 µsSirewall Latency (64 byte, UDP)3.33 µsConcurrent Sessions (TCP)50 MillionNew Sessions/Second (TCP)850 000Sec VPN Throughput (512 byte) 1140 GbpsCateway-to-Gateway IPsec VPN Tunnels40 000Concurrent SSL-VPN Throughput IPS, avg. HTTPS) 330 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 314 000SSL Inspection CPS (IPS, avg. HTTPS) 34.9 MillionSSL Inspection Concurrent Session IPS, avg. HTTPS) 34.9 Million	4 Gbps			
System Performance and CapacityPv4 Firewall Throughput 1518 / 512 / 64 byte, UDP)240 / 238 / 150 GbpsPv6 Firewall Throughput 1518 / 512 / 86 byte, UDP)240 / 238 / 150 GbpsFirewall Latency (64 byte, UDP)3.33 µsFirewall Latency (64 byte, UDP)3.33 µsFirewall Throughput (Packet per Second)225 MppsConcurrent Sessions (TCP)50 MillionNew Sessions/Second (TCP)850 000Firewall Policies200 000Psec VPN Throughput (512 byte) 1140 GbpsSateway-to-Gateway IPsec VPN Tunnels40 000Concurrent SSL-VPN Throughput11 GbpsConcurrent SSL-VPN Tunnel Mode)30 GbpsSSL Inspection Throughput IPS, avg. HTTPS) 314 000SSL Inspection CPS (IPS, avg. HTTPS) 314 000SSL Inspection Concurrent Session IPS, avg. HTTPS) 34.9 Million	34 Gbps			
Py4 Firewall Throughput 1518 / 512 / 64 byte, UDP)240 / 238 / 150 GbpsPy6 Firewall Throughput 1518 / 512 / 86 byte, UDP)240 / 238 / 150 GbpsFirewall Latency (64 byte, UDP)3.33 µsFirewall Throughput (Packet per Second)225 MppsConcurrent Sessions (TCP)50 MillionNew Sessions/Second (TCP)850 000Firewall Policies200 000Psec VPN Throughput (512 byte) 1140 GbpsCateway-to-Gateway IPsec VPN Tunnels40 000Concurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)30 000SSL Inspection CPS (IPS, avg. HTTPS) 314 000SSL Inspection Concurrent Session IPS, avg. HTTPS) 34.9 MillionStation Control Throughput HTTP 64K) 286 Gbps	5 Gbps			
1518 / 512 / 64 byte, UDP)240 / 238 / 150 GbpsPv6 Firewall Throughput 1518 / 512 / 86 byte, UDP)3.33 μsSirewall Latency (64 byte, UDP)3.33 μsSirewall Throughput (Packet per Second)225 MppsConcurrent Sessions (TCP)50 MillionNew Sessions/Second (TCP)850 000Sirewall Policies200 000Psec VPN Throughput (512 byte) 1140 GbpsSateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput11 GbpsConcurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)30 000SSL Inspection CPS (IPS, avg. HTTPS) 314 000SSL Inspection Concurrent Session IPS, avg. HTTPS) 34.9 MillionApplication Control Throughput HTTP 64K) 286 Gbps				
1518 / 512 / 86 byte, UDP)3.33 μsSirewall Latency (64 byte, UDP)3.33 μsSirewall Throughput (Packet per Second)225 MppsConcurrent Sessions (TCP)50 MillionNew Sessions/Second (TCP)850 000Sirewall Policies200 000Psec VPN Throughput (512 byte) 1140 GbpsSateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput11 GbpsConcurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput IPS, avg. HTTPS) 314 000SSL Inspection Concurrent Session IPS, avg. HTTPS) 34.9 MillionApplication Control Throughput HTTP 64K) 286 Gbps	240 / 238 / 150 Gbps			
irrewall Throughput (Packet per Second)225 MppsConcurrent Sessions (TCP)50 MillionNew Sessions/Second (TCP)850 000Sirewall Policies200 000Psec VPN Throughput (512 byte) 1140 GbpsSateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput11 GbpsConcurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput IPS, avg. HTTPS) 314 000SSL Inspection CPS (IPS, avg. HTTPS) 314 000SSL Inspection Concurrent Session IPS, avg. HTTPS) 34.9 MillionSSL Inspection Concurrent Session IPS, avg. HTTPS) 386 Gbps	38 / 150 Gbps			
Concurrent Sessions (TCP)50 MillionNew Sessions/Second (TCP)850 000Sirewall Policies200 000Psec VPN Throughput (512 byte) 1140 GbpsSateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput11 GbpsConcurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput IPS, avg. HTTPS) 330 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 314 000SSL Inspection Concurrent Session IPS, avg. HTTPS) 34.9 MillionApplication Control Throughput HTTP 64K) 286 Gbps	3.33 µs			
New Sessions/Second (TCP)850 000Sirewall Policies200 000Psec VPN Throughput (512 byte) 1140 GbpsSateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput11 GbpsConcurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput IPS, avg. HTTPS) 330 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 314 000SSL Inspection Concurrent Session IPS, avg. HTTPS) 34.9 MillionSSL Inspection Concurrent Session IPS, avg. HTTPS) 386 Gbps	25 Mpps			
Firewall Policies200 000Psec VPN Throughput (512 byte) 1140 GbpsSateway-to-Gateway IPsec VPN Tunnels40 000Client-to-Gateway IPsec VPN Tunnels200 000SSL-VPN Throughput11 GbpsConcurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)30 000SSL Inspection Throughput IPS, avg. HTTPS) 330 GbpsSSL Inspection CPS (IPS, avg. HTTPS) 314 000SSL Inspection Concurrent Session IPS, avg. HTTPS) 34.9 MillionSSL Inspection Concurrent Session IPS, avg. HTTPS) 386 Gbps	) Million			
Psec VPN Throughput (512 byte) <sup>1</sup> 140 Gbps         Gateway-to-Gateway IPsec VPN Tunnels       40 000         Client-to-Gateway IPsec VPN Tunnels       200 000         SSL-VPN Throughput       11 Gbps         Concurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)       30 000         SSL Inspection Throughput IPS, avg. HTTPS) <sup>3</sup> 30 Gbps         SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup> 14 000         SSL Inspection Concurrent Session IPS, avg. HTTPS) <sup>3</sup> 4.9 Million         IPS, avg. HTTPS) <sup>3</sup> 86 Gbps	850 000			
Gateway-to-Gateway IPsec VPN Tunnels       40 000         Client-to-Gateway IPsec VPN Tunnels       200 000         SSL-VPN Throughput       11 Gbps         Concurrent SSL-VPN Users       30 000         Recommended Maximum, Tunnel Mode)       30 Gbps         SSL Inspection Throughput       30 Gbps         SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup> 14 000         SSL Inspection Concurrent Session       4.9 Million         IPS, avg. HTTPS) <sup>3</sup> 86 Gbps	200 000			
Client-to-Gateway IPsec VPN Tunnels     200 000       SSL-VPN Throughput     11 Gbps       Concurrent SSL-VPN Users     30 000       Recommended Maximum, Tunnel Mode)     30 Gbps       SSL Inspection Throughput     30 Gbps       IPS, avg. HTTPS) <sup>3</sup> 14 000       SSL Inspection Concurrent Session IPS, avg. HTTPS) <sup>3</sup> 4.9 Million       SSL Inspection Concurrent Session IPS, avg. HTTPS) <sup>3</sup> 86 Gbps	140 Gbps			
SSL-VPN Throughput     11 Gbps       Concurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)     30 000       SSL Inspection Throughput IPS, avg. HTTPS) <sup>3</sup> 30 Gbps       SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup> 14 000       SSL Inspection Concurrent Session IPS, avg. HTTPS) <sup>3</sup> 4.9 Million       SSL Inspection Concurrent Session IPS, avg. HTTPS) <sup>3</sup> 86 Gbps	40 000			
Concurrent SSL-VPN Users Recommended Maximum, Tunnel Mode)       30 000         SSL Inspection Throughput IPS, avg. HTTPS) 3       30 Gbps         SSL Inspection CPS (IPS, avg. HTTPS) 3       14 000         SSL Inspection Concurrent Session IPS, avg. HTTPS) 3       4.9 Million         Application Control Throughput HTTP 64K) 2       86 Gbps	00 000			
Recommended Maximum, Tunnel Mode)         SSL Inspection Throughput IPS, avg. HTTPS) 3       30 Gbps         SSL Inspection CPS (IPS, avg. HTTPS) 3       14 000         SSL Inspection Concurrent Session IPS, avg. HTTPS) 3       4.9 Million         Application Control Throughput HTTP 64K) 2       86 Gbps	1 Gbps			
IPS, avg. HTTPS) <sup>3</sup> 14 000         SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup> 14 000         SSL Inspection Concurrent Session IPS, avg. HTTPS) <sup>3</sup> 4.9 Million         Application Control Throughput HTTP 64K) <sup>2</sup> 86 Gbps	30 000			
SSL Inspection Concurrent Session       4.9 Million         IPS, avg. HTTPS) <sup>3</sup> 4.9 Million         Application Control Throughput       86 Gbps         HTTP 64K) <sup>2</sup> 86 Gbps	30 Gbps			
IPS, avg. HTTPS) <sup>3</sup> Application Control Throughput 86 Gbps HTTP 64K) <sup>2</sup>	14 000			
Н́ТТР 64К) <sup>2</sup>	4.9 Million			
CAPWAP Throughput (HTTP 64K) 57 Gbps	86 Gbps			
	7 Gbps			
/irtual Domains (Default / Maximum) 10 / 500	10 / 500			
Maximum Number of FortiSwitches 300 Supported	300			
Aaximum Number of FortiAPs 4096 / 2048 Total / Tunnel)	4096 / 2048			
	20 000			
Maximum Number of FortiTokens 20 000	tive-Passive, Clustering			
	20 000 Active-Active, Active-Passive, Clustering			

FORTIGATE	3400E/-DC	3401E/-DC		
Dimensions and Power				
Height x Width x Length (inches)	3.5 × 17.4	4 × 21.89		
Height x Width x Length (mm)	88.9 × 4	43 × 556		
Weight	42.9 lbs (19.5 kg)	44.3 lbs (20.1 kg)		
Form Factor	Rack Mo	unt, 2 RU		
AC Power Supply	100-240V A	C, 50–60 Hz		
Power Consumption (Average / Maximum)	513 W / 728 W	519 W / 750 W		
AC Current (Maximum)	12A@120V, 9A@240V			
Heat Dissipation	2484 BTU/h	2560 BTU/h		
DC Power Supply	-48\	/ DC		
DC Current (Maximum)	17.	8A		
Redundant Power Supplies (Hot Swappable)	Yes (Default dual AC PSU for 1+1 Redundancy)			
Power Supply Efficiency Rating	80Plus Compliant			
Operating Environment and Certifications				
Operating Temperature	32°-104°F (0°-40°C)			
Storage Temperature	-31°-158°F (-35°-70°C)			
Humidity	10%-90% non-condensing			
Noise Level	63 dBA			
Forced Airflow	Front to Back			
Operating Altitude	Up to 7400 ft (2250 m)			
Compliance	FCC Part 15 Class A, RCM, VCCI, CE, UL/ cUL, CB			
Certifications	USGv	6/IPv6		

Note: All performance values are "up to" and vary depending on system configuration. <sup>1</sup> IPsec VPN performance test uses AES256-SHA256.

 $^{\rm 2}$  IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

 $^{\scriptscriptstyle 3}$  SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

<sup>4</sup> NGFW performance is measured with Firewall, IPS and Application Control enabled.

<sup>5</sup> Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

# **Ordering Information**

Product	SKU	Description
FortiGate 3400E	FG-3400E	4× 100 GE QSFP28 slots and 24× 25 GE SFP28 slots (including 22x ports, 2x HA ports), 2x GE RJ45 Management ports, SPU NP6 and CP9 hardware accelerated, and 2 AC power supplies.
FortiGate 3400E-DC	FG-3400E-DC	4× 100 GE QSFP28 slots and 24× 25 GE SFP28 slots (including 22x ports, 2x HA ports), 2x GE RJ45 Management ports, SPU NP6 and CP9 hardware accelerated, and 2 DC power supplies.
FortiGate 3401E	FG-3401E	4× 100 GE QSFP28 slots and 24× 25 GE SFP28 slots (including 22x ports, 2x HA ports), 2x GE RJ45 Management ports, SPU NP6 and CP9 hardware accelerated, 4 TB SSD onboard storage, and 2 AC power supplies.
FortiGate 3401E-DC	FG-3401E-DC	4× 100 GE QSFP28 slots and 24× 25 GE SFP28 slots (including 22x ports, 2x HA ports), 2x GE RJ45 Management ports, SPU NP6 and CP9 hardware accelerated, 4 TB SSD onboard storage, and 2 DC power supplies.
Optional Accessories/Spares	SKU	Description
Rack Mount Sliding Rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-3040B/-DC, FG-3140B/- DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3400/3401E, FG- 3600/3601E, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC and FG-3950B/-DC.
AC Power Supply	SP-FG3800D-PS	AC power supply for FG-3400/3401E, FG-3600/3601E, FG-3700D, FG-3700D-NEBS, FG-3700DX, FG-3810D and FG-3815D.
DC Power Supply	SP-FG3800D-DC-PS	DC power supply for FG-3400/3401E-DC. FG-3700D-DC, FG-3700D-DC-NEBS, FG-3810D-DC, FG-3815D-DC.
1 GE SFP LX Transceiver Module	FN-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FN-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.
1 GE SFP SX Transceiver Module	FN-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ RJ45 Transceiver Module	FN-TRAN-SFP+GC	10 GE SFP+ RJ45 transceiver module for systems with SFP+ slots.
10 GE SFP+ Transceiver Module, Short Range	FN-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FN-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Extended Range	FN-TRAN-SFP+ER	10 GE SFP+ transceiver module, extended range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.
25 GE SFP28 Transceiver Module, Short Range	FN-TRAN-SFP28-SR	25 GE SFP28 transceiver module, short range for all systems with SFP28 slots.
25 GE SFP28 Transceiver Module, Long Range	FG-TRAN-SFP28-LR	25 GE SFP28 transceiver module, long range for all systems with SFP28 slots.
40 GE QSFP+ Transceiver Module, Short Range	FN-TRAN-QSFP+SR	40 GE QSFP+ transceiver module, short range for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Short Range BiDi	FG-TRAN-QSFP+SR-BIDI	40 GE QSFP+ transceiver module, short range BiDi for all systems with QSFP+ slots.
40 GE QSFP+ Transceiver Module, Long Range	FN-TRAN-QSFP+LR	40 GE QSFP+ transceiver module, long range for all systems with QSFP+ slots.
100 GE QSFP28 Transceivers, Short Range	FN-TRAN-QSFP28-SR	100 GE QSFP28 transceivers, 4 channel parallel fiber, short range for all systems with QSFP28 slots.
100 GE QSFP28 Transceivers, Long Range	FN-TRAN-QSFP28-LR	100 GE QSFP28 transceivers, 4 channel parallel fiber, long range for all systems with QSFP28 slots.
100 GE QSFP28 Transceivers, CWDM4	FN-TRAN-QSFP28-CWDM4	100 GE QSFP28 transceivers, LC connectors, 2KM for all systems with QSFP28 slots.

### **Subscriptions**

			Bundles			
Service Category	Service Offering	A-la-carte	Enterprise Protection	Unified Threat Protection	Advanced Threat Protection	
FortiGuard Security	IPS Service	•	•	•	•	
Services	Anti-Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	٠	•	•	
	URL, DNS & Video Filtering Service	•	•	•		
	Anti-Spam		•	•		
	AI-based Inline Malware Prevention Service	•	•			
	Data Loss Prevention Service <sup>1</sup>	•	•			
	OT Security Service (OT Detection, OT Vulnerability correlation, Virtual Patching, OT Signature / Protocol Decoders) <sup>1</sup>	•				
	Application Control		included with For	tiCare Subscription		
	CASB SaaS Control		included with For	tiCare Subscription		
SD-WAN and SASE Services	SD-WAN Underlay Bandwidth and Quality Monitoring Service	•				
	SD-WAN Overlay-as-a-Service for SaaS-based overlay network provisioning	•				
	SD-WAN Connector for FortiSASE Secure Private Access	•				
	FortiSASE subscription including cloud management and 10Mbps bandwidth license <sup>2</sup>	•				
NOC and SOC Services	FortiGuard Attack Surface Security Service (IoT Detection, IoT Vulnerability Correlation, and Security Rating Updates) <sup>1</sup>	•	•			
	FortiConverter Service	•	•			
	Managed FortiGate Service	•				
	FortiGate Cloud (SMB Logging + Cloud Management)	•				
	FortiAnalyzer Cloud	•				
	FortiAnalyzer Cloud with SOCaaS	•				
	FortiGuard SOCaaS	•				
Hardware and Software Support	FortiCare Essentials	•				
	FortiCare Premium	•	•	•	•	
	FortiCare Elite	•				
Base Services	Internet Service (SaaS) DB Updates					
	GeoIP DB Updates		included with FortiCare Subscription			
	Device/OS Detection Signatures					
	Trusted Certificate DB Updates					
	DDNS (v4/v6) Service					

1. Full features available when running FortiOS 7.4.1 2. Desktop Models only



#### **FortiGuard Bundles**


FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

#### FortiCare Elite

FortiCare Elite offers enhanced SLAs and quick issue resolution through a dedicated support team. It provides single-touch ticket handling, extended Extended End-of-Engineering-Support for 18 months, and access to the new FortiCare Elite Portal for a unified view of device and security health.

#### **Fortinet CSR Policy**

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.



# F:RTINET.

www.fortinet.com

Copyright © 2023 Fortinet, Inc. All rights reserved. Fortinet\*, FortiGate\*, FortiCare\* and FortiGate\*, FortiCare\* and FortiGate\*, FortiCare\* and Certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results. Nothing metrin generates any binding comminent by Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results. Nothing metrin generates any binding comminent by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enternet a binding written contract, shall be priorited. Second the development and other results. Nothing written contract shall be contained by Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet Sintemal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication.